



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/632,724	08/01/2003	Joseph Auriemma	0302	2784

2057 7590 03/24/2005

EUGENE CHOVANES
JACKSON AND CHOVANES
SUITE 319
ONE BALA PLAZA
BALA CYNWYD, PA 19004

EXAMINER

NGUYEN, CHI Q

ART UNIT	PAPER NUMBER
----------	--------------

3635

DATE MAILED: 03/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/632,724

Applicant(s)

AURIEMMA, JOSEPH

Examiner

Chi Q Nguyen

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☒ Other: Attachment

DETAILED ACTION

Claim Objections

Claim 1 is objected to because of the following informalities: since the applicant used the parenthesis for numeral references; to be consistent, the applicant is advised to have parenthesis for all cited elements. For example, a straight beam (20), a vertical web (22). Appropriate correction is required.

In regard claim 1, the cited limitation "the top" does not have proper antecedent basis. Correction is required.

Since the claim 1 is drawn to apparatus, the cited method steps (cutting, forming, and fixing) will not given any patentable weight.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In regard claim 1, is "the beam" on line 14 same as "a straight beam" on line 8? Clarification is required.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA

Art Unit: 3635

1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 1 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3 of U.S. Patent No. 6,751,922. Although the conflicting claims are not identical, they are not patentably distinct from each other because the scope of the patented claims appears to be the same as the application claim except for a splice plate, which specifically having two integral portions connected by a step with a slot in one of the portions. Although, the patented claims do not specifically cited the splice plate having two integral portions connected by a step with a slot in one of the portions. It would have been obvious functional equivalent to have the splice plate connected to a cut out and providing a support to a curved main beam.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Boegle (US 4,783,946).

Boegle teaches supporting rail for lower ceilings and attachments comprising an invert T cross-section beam 25. The beam 25 having a bulb B at the top (see attachment of figure 4), a vertical web 25.1, and horizontal flanges 19, cutouts 20, 20.1, 20.2 spaced along the beam (fig. 5) extending into the bulb B (fig. 4) and the web 25.1 and leaving an intact segment 30 of the bulb above each cutout, a splice plate 35/36, each having two integral portions connected by a step (fig. 7) can be inserted after spreading of the bending cuts 20 into slot shaped supporting rail or beam. Boegle does not teach specifically the splice plate having a slot in one of the portion. Examiner takes Official Notice the fact that the splice plate taught by Boegle would have been obvious functional equivalent to the applicant's splice plate because it would capable performed a similar function such as providing a support to a cutout; thus it would limited the bending to desirable curve (e.g. concave or convex).

Conclusion


The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Beynon, Lin, Nute, Frecska, Platt, and Fletterick teach a ceiling support.

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Chi Q. Nguyen whose telephone number is (571) 272-6847, Mon-Thu (7:00-5:30), Fridays off or examiner's supervisor, Carl Friedman can be reached at (571) 272-6842. The examiner's right fax number is (571) 273-6847.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published

Art Unit: 3635

applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pairedirect.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197.

CQN

3/15/05



Carl D. Friedman
Solely Patent Examiner
Group 3600

Fig. 4




Fig. 5





Fig. 7

